

TUPEX ALTO LED

True all-in-one design that covers all your expectations

Save SKU / Save electricity / Save shipping cost / Convenient sensors















Selectable Selectable

IP65 beam angle adjustable

You can get 3 different optics by rotating the PC lens






2 CCT and 3 power selectable



Convenient intelligent control & Save electricity

HB65 is 150lm/W, together with twist central sensor making this high bay to be more energy-saving.






Microwave motion sensor

PIR sensor

One SKU, dozens of possibilities

The ALTO HB65 series of high bay has a total of 36 possibilities and even more. It could help to easily manage your stock qty and relieve cash flow pressure.



Less freight cost


Light weight and compact size could save expensive freight cost



HB65 Product Range

Model No	HB65-100	HB65-120	HB65-150	HB65-200
Power Consumption(±5%)	100W	120W	150W	200W
Power Selectable	100/80/60W (Selectable)	120/96/72W (Selectable)	150/120/90W (Selectable)	200/160/120W (Selectable)
Input Voltage	220-240 Vac, 50 / 60 Hz			
Luminous Flux ($\pm 10\%$)	1500lm	18000lm	22500lm	30000lm
Efficacy(4000K Ra70)	140lm/W			
Beam Angle	H00716 (M-N-W adjustable)		H00715 (M-N-W adjustable)	
Control	DALI, 0-10V dimmable, PIR sensor, Microwave sensor, 3w4h Emergency backup			
CCT & CRI	5000K (3000K, 4000K optional)			
Protection Rating	IP65, IK08			
Operating Temperature	-30° C to +50° C			
Warranty	5 years			

Photometric Diagrams



Mounting Options







