TERRA MINI



Technical features












EXTERNAL TRIM REALIZED IN STAINLESS STEEL AISI 316L

NO VISIBLE SCREWS ONCE THE PRODUCT IS INSTALLED

Technical data

IP Rating	IP67		
IK Rating	10		
Material	High corrosion resistance die-cast copper-free aluminum body		
Trim	Stainless steel AISI 316		
Coating	Polyester powder coating with phosphocromating pre-finish		
Screws	Stainless steel		
Gasket	Silicone rubber		
Glass	Tempered		
Power cable	1 mt. power cable included		



REDUCED WIDTH AT 16 MM FOR BETTER AESTHETIC IMPACT







LIGHT BEAM OPTIONS





VERY NARROW 10°



NARROW

SPOT 18°







WIDE

FLOOD 60°









MEDIUM 28°

MEDIUM WIDE 36°

ASYMMETRIC WALL-WASHER

DIFFUSED

8°x170°



207001

TERRA MINI COB

Diameter 140mm ground-recessed luminaire for outdoor installation, phospho-chromatised and polyester powder coated die-cast copper-free aluminium body and stainless steel AISI 316L frame, tempered safety glass, moulded silicone gasket. Light source tilt system +/- 15deg from outside. Built-in LED driver 220-240V 50-60Hz, with 1 CREE CXB1304 LED. IP67 rating.

light source	light beam options		lumen output (lm)	lumin. efficacy (lm/w)
2700°K warm-white				
cob led	V	18°	600	75.00
cob led	V	36°	580	72.50
cob led	V	60°	560	70.00
3000°K warm-white				
cob led	V	18°	620	77.50
cob led	V	36°	600	75.00
cob led	V	60°	580	72.50
4000°K neutral-white				
cob led	V	18°	640	80.00
cob led	V	36°	620	77.50
cob led	V	60°	600	75.00
Finish color options:				

Stainless Steel

ACCESSORIES

AC116 - HONEYCOMB LOUVER FOR TERRA MINI



Technical features













Available on request







Technical data

Wattage	8 WATT
IP Rating	IP67
IK Rating	IK10
Material	high corrosion resistance die-cast copper-free aluminum
Trim	Stainless steel AISI 316L
Coating	polyester powder coating with phosphocromating pre-finish
Light Source	Nr. 1 CREE CXB1304 COB LED
Screws	Stainless steel
Transformer	Electrical power supply 220/240V 50/60Hz built in
Gasket	Silicone rubber
Glass	Tempered
Cable gland	M20
Power cable	1 mt. neoprene power cable included
Gross weight	2,60 Kg



AC117 - GLARE SHIELD FOR TERRA MINI

Glare shield accessory made in hard anodized black aluminum, for applications requiring very reduced glaring; minimal light loss on the light surface but overall lumen output typically reduced by 50%.